

P4V Cheat Sheet

The Perforce Visual Client

Toolbar Icons



Refresh



Get Latest Revision
Shift+Ctrl+G



Check Out Ctrl+E
Drag file from workspace tree to a pending changelist



Mark for Add
Drag file from workspace tree to a pending changelist



Mark for Delete
To delete a file, mark it for delete, then submit



Diff Against Have Revision Ctrl+D
Diff Two File Revisions: Drag and drop a file revision onto another file revision



Submit Changelist
Ctrl+S



Revert
Ctrl+R

More options are available in your context-click menu. For detailed instructions, and more drag-and-drop hints, see [Help > P4V Help](#).



Views



Workspace View



Depot View



Files in Folder



File History



Pending Changelists
Ctrl+1



Submitted Changelists
Ctrl+2



Branches
Ctrl+3



Labels
Ctrl+4



Workspaces
Ctrl+5



Users
Ctrl+6



Jobs
Ctrl+7

File Status



Not in Depot



Marked for Add



In Depot



Synced to Head Revision



Synced to Previous Revision



Needs Resolve



Opened for Edit by You



Opened for Edit by Other User



File Locked



Marked for Delete



Online Resources

Perforce: www.perforce.com
 Documentation: www.perforce.com/docs
 Knowledge Base: www.perforce.com/kb
 Technical Support: www.perforce.com/support

P4 Cheat Sheet

The Perforce Command-Line Client

Commands

- p4 add** Open a new file to add it to the depot
- p4 admin** Perform administrative operations on the server
- p4 annotate** Print file lines along with their revisions
- p4 branch** Create or edit a branch specification
- p4 branches** Display list of branches
- p4 change** Create or edit a changelist description
- p4 changes** Display list of pending and submitted changelists
- p4 changelist** Create or edit a changelist description
- p4 changelists** Display list of pending and submitted changelists
- p4 client** Create or edit a client specification and its view
- p4 clients** Display list of known clients
- p4 counter** Display, set, or delete a counter
- p4 counters** Display list of known counters
- p4 delete** Open an existing file to delete it from the depot
- p4 depot** Create or edit a depot specification
- p4 depots** Display list of depots
- p4 describe** Display a changelist description
- p4 diff** Display diff of client file with depot file
- p4 diff2** Display diff of two depot files
- p4 dirs** List subdirectories of a given depot directory
- p4 edit** Open an existing file for edit
- p4 filelog** List revision history of files
- p4 files** List files in the depot
- p4 fix** Mark jobs as being fixed by named changelists
- p4 fixes** List what changelists fix what job
- p4 flush** Fake a 'p4 sync' by not moving files
- p4 fstat** Dump file info
- p4 group** Change members of a user group
- p4 groups** List groups (of users)
- p4 have** List revisions last synced
- p4 help** Print this help message
- p4 info** Print out client/server information
- p4 integrate** Schedule integration from one file to another
- p4 integrated** Show integrations that have been submitted
- p4 job** Create or edit a job (defect) specification
- p4 jobs** Display list of jobs
- p4 jobspec** Edit the job template
- p4 label** Create or edit a label specification and its view
- p4 labels** Display list of labels
- p4 labelsync** Synchronize label with the current client contents
- p4 license** Update or display the license file
- p4 lock** Lock an opened file against changelist submission
- p4 logger** Report what jobs and changelists have changed
- p4 login** Login to Perforce by obtaining a session ticket
- p4 logout** Logout of Perforce by removing or invalidating a ticket.
- p4 monitor** Display current running Perforce process information
- p4 obliterate** Remove files and their history from the depot
- p4 opened** Display list of files opened for pending changelist
- p4 passwd** Set user password on server (and Windows client)
- p4 print** Retrieve a depot file to the standard output
- p4 protect** Modify protections in the server namespace
- p4 protects** Display protections in place for a given user/path
- p4 rename** Explains how to rename files
- p4 reopen** Change the type or changelist number of an opened file
- p4 resolve** Merge open files with other revisions or files
- p4 resolved** Show files that have been merged but not submitted
- p4 revert** Discard changes from an opened file
- p4 review** List and track changelists (for the review daemon)
- p4 reviews** Show what users are subscribed to review files
- p4 set** Set variables in the registry (Windows only)
- p4 sizes** Display size information for files in the depot
- p4 submit** Submit open files to the depot
- p4 sync** Synchronize the client with its view of the depot
- p4 tag** Tag files with a label
- p4 tickets** Display list of session tickets for this user
- p4 triggers** Modify list of pre-submit and form-validating triggers
- p4 typemap** Modify the file name-to-type mapping table
- p4 unlock** Release a locked file but leave it open
- p4 user** Create or edit a user specification
- p4 users** Display list of known users
- p4 verify** Verify that the server archives are intact
- p4 workspace** Create or edit a client specification and its view
- p4 workspaces** Display list of known clients
- p4 where** Show how file names map through the client view